



FIRE RESISTANT SAFES



**Commercial Safes
Home & Office Safes
Data Safes
Filing Cabinets**

Please note:
Delivery &
Installation must
be quoted
individually

www.officeway.com.au

E: furniture@officeway.com.au P: 03 9794 7177



KEY FEATURES

ELECTRONIC OR COMBINATION

KEY DEADLOCKING

2 HOUR FIRE RATED

TESTED TO 1000°C

LOCKABLE INTERNAL DRAWER

ADJUSTABLE SHELVING

3 WAY BOLT LOCKING

HINGE REMOVAL PROTECTION

BEIGE COLOUR

LIFETIME GUARANTEE*
(INCLUDES FREE
REPLACEMENT OFFER)

1 YEAR WARRANTY*
ON ELECTRONICS

3 YEAR WARRANTY*
ON BOLT WORK

TWO HOUR FIRE RESISTANT COMMERCIAL SAFES

For businesses needing to store important documents or sensitive data, every precaution should be taken in ensuring the documents will be safe in the case of a fire. While standard commercial fire resistant safes protect for 1 hour, ours provide fire resistance for 2 hours thanks to a thicker wall. All of our commercial safes are tested to Japanese Industrial Standards (JIS) for a 2-hour fire rating to 1000°C for paper.

Our wide range of commercial fire resistant safes come in various sizes to suit any commercial requirements and are ideal for the legal, financial and medical industries. They are available with either electronic or combination locks, both with key deadlocking and provide strong 3-way locking with hinge removal protection. They come fitted with a lockable drawer and adjustable (and removable) shelving.



OUR COMMERCIAL SAFES
ARE CERTIFIED WITH A
2 HOUR FIRE RATING
TO 1000°C FOR PAPER.



CLASSIFIED TO JIS STANDARDS
AND REQUIREMENTS BY
JAPANESE INDUSTRIAL
STANDARD. JIS S1037.




RATED BY KOREA INSTITUTE
OF CONSTRUCTION
(KS) KSG-4500 FIRE
RESISTANCE TESTS.



SP TECHNICAL RESEARCH
INSTITUTE OF SWEDEN
CERTIFICATION. NT FIRE017.

TWO HOUR FIRE RESISTANT COMMERCIAL SAFES

DS70E



DEFIANCE DS70E

Electronic opening and key deadlocking

Outside: H: 630 W: 610 D: 630

Inside: H: 450 W: 430 D: 376

Approx Weight: 160Kgs

1 x Adjustable Shelf

1 x Removable Drawer H:110mm

Colour: Beige

\$1630 Including GST

DS70DK



DEFIANCE DS70DK

Combination opening and key deadlocking

Outside: H: 630 W: 610 D: 630

Inside: H: 450 W: 430 D: 376

Approx Weight: 160Kgs

1 x Adjustable Shelf

1 x Removable Drawer H:110mm

Colour: Beige

\$1550 Including GST

DS100E



DEFIANCE DS100E

Electronic opening and key deadlocking

Outside: H: 930 W: 610 D: 630

Inside: H: 750 W: 430 D: 376

Approx Weight: 225Kgs

2 x Adjustable Shelves

1x Removable Drawer H:110mm

Colour: Beige

\$1960 Including GST

DS100K



DEFIANCE DS100DK

Combination opening and key deadlocking

Outside: H: 930 W: 610 D: 630

Inside: H: 750 W: 430 D: 376

Approx Weight: 225Kgs

2 x Adjustable Shelves

1x Removable Drawer H:110mm

Colour: Beige

\$1880 Including GST

DS130E



DEFIANCE DS130E

Electronic opening and key deadlocking

Outside: H: 1230 W: 610 D: 630

Inside: H: 1050 W: 430 D: 376

Approx Weight: 285Kgs

3 x Adjustable Shelves

1x Removable Drawer H:110mm

Colour: Beige

\$2380 Including GST

DS130DK



DEFIANCE DS130DK

Combination opening and key deadlocking

Outside: H: 1230 W: 610 D: 630

Inside: H: 1050 W: 430 D: 376

Approx Weight: 285Kgs

3 x Adjustable Shelves

1x Removable Drawer H:110mm

Colour: Beige

\$2300 Including GST

DS170E



DEFIANCE DS170E

One Door, Fire resistant document storage cabinet. Electronic opening and key deadlocking.

Outside: H: 1700 W: 750 D: 719

Inside: H: 1450 W: 570 D: 465

Weight: 500Kgs Litres: 390

1 x Lockable Drawer

3 x Adjustable Shelves

Internal hinge bolt protection, Offering medium security, Tested to Japanese industrial and Korean standards.

\$3770 Including GST

DS182E



DEFIANCE DS182E

Two Door, Fire resistant document storage cabinet. Electronic opening and key deadlocking.

Outside: H: 1800 W: 1142 D: 719

Inside: H: 1550 W: 962 D: 450

Weight: 680Kgs Litres: 765

2 x Lockable Drawer

3 x Adjustable Shelves

1 Hour Fire Rated Rated to 1000°C

2 x Lockable drawers

3 x Adjustable shelves

Internal hinge bolt protection

Electronic and key

Offering medium security

Tested to Japanese industrial and Korean standards.

\$5400 Including GST

Please note: Delivery and installation are a significant factor. Please call 03 9794 7177 or email furniture@officeway.com.au for installation quote



KEY FEATURES

**TESTED AND CERTIFIED
TO 1100°**

1 HOUR FIRE RATED

AVAILABLE IN 4 SIZES

EASY TO OPERATE

**ELECTRONIC OR KEY &
COMBINATION OPENING**

INTERNAL HINGE PROTECTION

**CAN BE SECURED TO CONCRETE
OR TIMBER FLOOR**

LIFETIME GUARANTEE*
(INCLUDES FREE
REPLACEMENT OFFER)

1 YEAR WARRANTY*
ON ELECTRONICS

3 YEAR WARRANTY*
ON BOLT WORK

ONE HOUR FIRE RESISTANT SAFES FOR HOME & OFFICE

Don't risk losing your valuable documents and irreplaceable memories in the event of a fire. Whether it's Passports, Birth Certificates, Deeds or Wills, our safes are the right choice for the home or office.

All our Home and Office Safes are tested to the most stringent international standards for one hour fire resistance at 1100°C — United Laboratories (UL), Swedish National Testing & Research Institute (SP), Korean Agency for Technology and Standards (KATS) and Japanese Industrial Standards (JIS). And while the purpose of these safes is fire protection, they also provide a level of Security Protection from burglary for additional peace of mind.



OUR COMMERCIAL SAFES
ARE CERTIFIED WITH A
1 HOUR FIRE RATING
TO 1100°C FOR PAPER.



CLASSIFIED TO UL STANDARDS AND
REQUIREMENTS BY UNDERWRITERS
LABORATORIES INC.
UL 72 CLASS 350



CLASSIFIED TO JIS STANDARDS
AND REQUIREMENTS BY
JAPANESE INDUSTRIAL
STANDARD. JIS S1037.



RATED BY KOREA INSTITUTE
OF CONSTRUCTION
(KS) KSG-4500 FIRE
RESISTANCE TESTS.



SP TECHNICAL RESEARCH
INSTITUTE OF SWEDEN
CERTIFICATION.
NT FIRE017.

ONE HOUR FIRE RESISTANT SAFES HOME & OFFICE



DS31EH

Electronic, One Hour Fire Resisting.
Rated to 1100°C.
Programmable electronic key pad entry (4-25 numbers).
1 x Article tray.
Internal hinge bolt protection.
Designed to suit for A4 sized documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

External Dimensions H: 310 W: 420 D: 355

Internal Dimensions H: 204 W: 314 D: 236

Weight 37kg

Volume 16Ltr

\$450 Including GST



DS31DK

Key & Combination, One Hour Fire Resisting.
Rated to 1100°C.
1 x Article tray.
Internal hinge bolt protection.
Designed to suit for A4 sized documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

External Dimensions H: 310 W: 420 D: 355

Internal Dimensions H: 204 W: 324 D: 236

Weight 37kg

Volume 16Ltr

\$430 Including GST



DS36EH

Electronic, One Hour Fire Resisting.
Rated to 1100°C.
Programmable electronic key pad entry (4-25 numbers).
1 x Article tray.
Internal hinge bolt protection.
Designed for A4 and Foolscap documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

External Dimensions H: 360 W: 490 D: 425

Internal Dimensions H: 236 W: 381 D: 306

Approx. Weight: 57Kg

Volume 27.5Ltr

\$520 Including GST



DS36DK

Key & Combination, One Hour Fire Resisting.
Rated to 1100°C.
Features include an article tray, internal hinge bolt protection.
Offering a large useable space for a laptop or A4 sized documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

External Dimensions H: 360 W: 490 D: 425

Internal Dimensions H: 236 W: 381 D: 306

Approx. Weight: 57Kg

Volume 27.5Ltr

\$460 Including GST



DST50EH

Electronic, One Hour Fire Resisting.
Rated to 1100°C.
Programmable electronic key pad entry (4-25 numbers).
1 x Article tray.
Internal hinge bolt protection.
Designed to suit for A4 sized documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

\$520 Including GST

External Dimensions H: 500 W: 350 D: 425

Internal Dimensions H: 381 W: 236 D: 306

Approx. Weight 57Kgs

Volume 27.5Ltr



DST50DK

Key & Combination, One Hour Fire Resisting.
Rated to 1100°C.
1 x Article tray.
Internal hinge bolt protection.
Offering a large usable space for type A4 sized documents.
Can be fixed to the floor through bolt hole in the floor of the safe.

\$460 Including GST

External Dimensions H: 500 W: 350 D: 425

Internal Dimensions H: 381 W: 236 D: 306

Approx. Weight 57Kgs

Volume 27.5Ltr



DS53EH

The electronic version is user friendly as the entry code can be changed by the user at any time by means of four easy steps, using a 4 to 16-digit entry code. Changing the entry code is simply achieved by pressing a reset button on the back of the door.
Rated to 1100°C.
1 x Article tray. 1 x Adjustable shelf.
Internal hinge bolt protection.
Can be fixed to the floor through bolt hole in the floor of the safe.

\$820 Including GST

External Dimensions H: 530 W: 435 D: 440

Internal Dimensions H: 412 W: 320 D: 310

Volume 41Ltr **Weight** 63kg



DS53DK

An alternative to the electronic version, the manual opening safe will ensure reliable operation. With a 4 Wheel combination and key locking, offering medium security.
Rated to 1100°C.
1 x Article tray.
1 x Adjustable shelf.
Internal hinge bolt protection.
Can be fixed to the floor through bolt hole in the floor of the safe.

\$690 Including GST

External Dimensions H: 530 W: 435 D: 440

Internal Dimensions H: 412 W: 320 D: 310

Weight 63kg

Volume 41Ltr

Please note: Delivery and installation are a significant factor. Please call 03 9794 7177 or email furniture@officeway.com.au for installation quote



KEY FEATURES

EASY TO OPERATE

DIGITAL KEYPAD OPENING

**INDEPENDENTLY TESTED
AND CERTIFIED TO 1100°C**

**MAINTAINS TEMPERATURE
OF UNDER 30°C FOR
1 HOUR IN A FIRE**

LIFETIME GUARANTEE*
(INCLUDES FREE
REPLACEMENT OFFER)

1 YEAR WARRANTY*
ON ELECTRONICS

3 YEAR WARRANTY*
ON BOLT WORK



FIRE RESISTANT DATA SAFES

In an age when most of our important information and memories are stored digitally, it's more vital than ever that we protect them from potential harm.

Our fire-resistant data safes are specifically designed to protect magnetic media including hard drives, USB sticks, data discs, tapes, CDs and will also protect irreplaceable film negatives and stamp collections which would normally be ruined by abnormally high temperatures.

Our fire-resistant data safes are fitted with an anti-thermal box (essentially a "safe inside a safe") designed to block out heat, smoke, dust and steam and will also keep the temperature below approximately 50° C (the temperature at which digital media is destroyed) for 1 hour. They are tested in accordance with SP (Swedish National Testing and Research Institute) and are Diskette certified meaning they can maintain a temperature of under 30° C for 1 hour while the outside temperature is 1100° C. Our fire-resistant data safes are ideal for offices and homes as they are easier to move.

Please note: Delivery and installation are a significant factor. Please call 03 9794 7177 or email furniture@officeway.com.au for installation quote



OUR COMMERCIAL SAFES
ARE CERTIFIED WITH A
1 HOUR FIRE RATING
TO 1100°C FOR PAPER.



CLASSIFIED TO UL STANDARDS AND
REQUIREMENTS BY UNDERWRITERS
LABORATORIES INC.
UL 72 CLASS 350



CLASSIFIED TO JIS STANDARDS
AND REQUIREMENTS BY
JAPANESE INDUSTRIAL
STANDARD. JIS S1037.



RATED BY KOREA INSTITUTE
OF CONSTRUCTION
(KIC) KSG-4500 FIRE
RESISTANCE TESTS.



SP TECHNICAL RESEARCH
INSTITUTE OF SWEDEN
CERTIFICATION.
NT FIRE017.

FIRE RESISTANT DATA SAFES

CDS50-EH



DEFIANCE CDS50-EH

Data/Media Cabinet
Electronic, one hour fire resisting.
Rated to 1100° C.
1 x shelf, internal hinge bolt protection,
Programmable electronic key pad entry
(4-16 numbers).

External: H: 500 W: 350 D: 425

Internal: H: 286 W: 133 D: 208

Approx. Weight: 62Kgs

Volume: 7.9Ltr

\$680 Including GST

CDS-105



DEFIANCE CDS-105

Data/Media Cabinet
Electronic, one hour fire resisting.
Rated to 1000° C. 1 x Shelf, internal hinge bolt
protection, Programmable electronic key pad entry
(4-16 numbers).
With Key deadlocking.

External: H: 672 W: 495 D: 550

Internal: H: 423 W: 243 D: 220

Approx. Weight: 145Kgs

Volume: 22.6Ltr

\$1500 including GST

CDS-120



DEFIANCE CDS-120

Data/Media Cabinet
Electronic, one hour fire resisting.
Rated to 1100° C. 4 x Shelves, internal hinge bolt
protection, Programmable electronic key pad
entry (4-16 numbers).
With Key deadlocking.

External: H: 1185 W: 700 D: 630

Internal: H: 834 W: 411 D: 360

Approx. Weight: 299Kgs

Volume: 123.4Ltr

\$2270 including GST

Please note: Delivery and installation are a significant factor. Please call 03 9794 7177 or email furniture@officeway.com.au for installation quote



KEY FEATURES

EASY TO OPERATE

2, 3 & 4 DRAWER AVAILABLE
ELECTRONIC OR COMBINATION
KEY LOCKING EACH DRAWER

TESTED TO 1100°C

1 HOUR RATED

FIREWALL BETWEEN EACH
DRAWER

LOAD BEARING RUNNERS
AND TRACKS

2 ADJUSTABLE DIVIDERS IN
EACH DRAWER

BEIGE IN COLOUR

LIFETIME GUARANTEE*
(INCLUDES FREE
REPLACEMENT OFFER)

1 YEAR WARRANTY*
ON ELECTRONICS

3 YEAR WARRANTY*
ON BOLT WORK

ONE HOUR FIRE RESISTANT FILING CABINETS

Protect your important files, documents and film negatives from fire while keeping them organised in our fire resistant filing cabinets.

All of these units are tested to UL Standards which gives the filing cabinet/safe a One (1) hour fire rating at 1100°C. With individually locking drawers and each drawer designated an individual key number, these filing cabinets/safes are brilliant value as they can act as 4 safes in one.

Holding up to 80kg per drawer and featuring 4 locking bolts, these filing cabinets/safes are strong and provide additional security for your documents. Our filing cabinet range features either an electronic keypad or a 3-wheel changeable combination lock to top drawer only with key locks for the remaining drawers, and can be supplied with or without wheels.

There is also a drawer lock controller fitted to the top draw, meaning that if the combination/electronic lock is open but the top drawer is not unlocked, the rest of the drawers cannot be opened. The drawers are able to accommodate a standard suspension file, and each drawer has 2 dividers as standard. Each drawer is fitted with load bearing-runners and tracks, for long life and ease of use.



OUR COMMERCIAL SAFES
ARE CERTIFIED WITH A
1 HOUR FIRE RATING
TO 1100°C FOR PAPER.



CLASSIFIED TO UL STANDARDS AND
REQUIREMENTS BY UNDERWRITERS
LABORATORIES INC.
UL 72 CLASS 350



CLASSIFIED TO JIS STANDARDS
AND REQUIREMENTS BY
JAPANESE INDUSTRIAL
STANDARD. JIS S1037.



RATED BY KOREA INSTITUTE
OF CONSTRUCTION
(KIC) KSG-4500 FIRE
RESISTANCE TESTS.



SP TECHNICAL RESEARCH
INSTITUTE OF SWEDEN
CERTIFICATION.
NT FIRE017.

ONE HOUR FIRE RESISTANT FILING CABINETS

BF680-4



DEFIANCE BF680-4

Combination and Key
4 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 1530 W: 540 D: 680

Drawer: H: 282 W: 387 D: 516

Approx Weight: 320 Kgs

Colour: Beige

\$3400 including GST

BF680E-4



DEFIANCE BF680E-4

Electronic Keypad and Key
4 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 1530 W: 540 D: 680

Drawer: H: 282 W: 387 D: 516

Approx Weight: 320Kgs

Colour: Beige

\$3400 including GST

BF680-3



DEFIANCE BF680-3

Combination and Key
3 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 1175 W: 540 D: 680

Drawer: H: 282 W: 387 D: 516

Approx Weight: 245 Kgs

Colour: Beige

\$2760 including GST

BF680E-3



DEFIANCE BF680E-3

Electronic Keypad and Key
3 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 1175 W: 540 D: 680

Drawer: H: 282 W: 387 D: 516

Approx Weight: 245 Kgs

Colour: Beige

\$2760 including GST

BF680-2



DEFIANCE BF680-2

Combination and Key
2 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 820 W: 540 D: 680

Drawer: H: 282 W: 387 D: 516

Approx Weight: 170 Kgs

Colour: Beige

\$2130 including GST

BF680E-2



DEFIANCE BF680E-2

Electronic Keypad and Key
2 Drawer Filing Cabinet
2 Dividers per Drawer
Different Key to Each Drawer

Outside: H: 820 W: 540 D: 680


Drawer: H: 282 W: 387 D: 516

Approx Weight: 170 Kgs

Colour: Beige

\$2130 including GST

K.S. FIRE-PROOF TEST RESULT



① Temperature in the Furnace.

② Safe interior temperature.

KOREA INDUSTRIAL ADVANCEMENT ADMINISTRATION

Please note: Fire resisting filing cabinets are not designed to be burglar proof, but do offer a higher degree of protection against attack over standard filing cabinets.

Please note: Delivery and installation are a significant factor. Please call 03 9794 7177 or email furniture@officeway.com.au for installation quote